

# IT-Cable

Prices see [shop.griederbauteile.ch](http://shop.griederbauteile.ch)

<b>USB Connection Cable</b>	<b>Page 2</b>					
<b>IEEE 1394-Cable "Fire-Wire"</b>	<b>Page 3</b>					
<b>Extension Cable XT/AT and PS/2 DVI-D Cable</b>	<b>Page 4</b>					
<b>Monitor Cable</b>	<b>Page 5</b>					
<b>Monitor Cable</b>	<b>Page 6</b>					
<b>Centronics Parallel Cable</b>	<b>Page 6</b>					
<b>Printer Cable</b>	<b>Page 7</b>					
<b>Patch+ LAN Cable with and without Connectors</b>	<b>Page 8</b>					
<b>RS-232 Cable Sets 1:1</b>	<b>Page 10 - 12</b>					
<b>Retro Computer Cable</b>	<b>Page 2 - 13</b>					
<b>SCSI</b>	<b>Page 13 - 17</b>					
<b>CD ROM Cable</b>	<b>Page 18</b>					
<b>Floppy Y-Power Cable</b>	<b>Page 19</b>					
<b>BNC Cable, Cheapernet, Monitor Cable VGA</b>	<b>Page 20</b>					
<b>Telephone Cable</b>	<b>Page 21 - 22</b>					
<b>Images IT Connectors</b>	<b>Page 23</b>					

**Retro components are only available as long as stock lasts.**

**USB-Cable**

Cable: 4 wire, double shielded, 2x AWG24 2x AWG28









Order No	Length	Colour	Manufacturer	Type	1. Side	2. Side
<b>KTU.AA18</b>	2m	beige	Assmann	AK 700/2		
<b>KTU.AA30</b>	3m			AK 700/3		
<b>KTU.AA50</b>	5m			AK 700/5		
					USB A male	USB A male
<b>KTU.AB18</b>	1.8m	beige	Assmann	AK 672/2		
<b>KTU.AB30</b>	3m			AK 672/3		
<b>KTU.AB50</b>	5m			AK 672/5		
					USB A male	USB B male
<b>KTU.AA30V</b>	3m	beige	Assmann	AK 701/3		
					USB A male	USB A female



**IEEE 1394-Cable "Fire-Wire"**

Data: 100MBit/s < 1GBit/s

Order No	Length		1. Side	2. Side
<b>KTW.1864S</b>	1.8m			
			6p IEEE1394 male	4p IEEE 1394 AV male
<b>KTW.1866S</b>	1.8m			
			6p IEEE1394 male	6p IEEE 1394 male
<b>KTW.1844S</b>	1.8m			
			4p IEEE 1394 AV male	4p IEEE 1394 AV male



**Extension Cable XT/AT and PS/2**

- Keyboard cable for XT/AT systems
- Plugs are moulded and shielded
- All wires are connected 1:1





Order No	Type	Length	System	1. Side	2. Side
<b>KCK.2SK5</b>	ICOC 06-CU-S	1.8m	XT/AT		
<b>KCK.5SK5</b>	ICOC 07-CU-S	5m			
				5p 180° DIN male	5p 180° DIN female
<b>KCK.2SS5</b>	ICOC 06-CU-S-M	2m	XT/AT		
<b>KCK.5SS5</b>	ICOC 07-CU-S-M	5m			
				5p 180° DIN male	5p 180° DIN male
<b>KCK.2SK6</b>	ICOC 08-CU-S	2m	PS/2		
<b>KCK.5SK6</b>	ICOC 09-CU-S	5m			
				6p Mini DIN male	6p mini DIN female
<b>KCK.2SS6</b>	ICOC 08-CU-SM	2m	PS/2		
<b>KCK.3SS6</b>	ICOC 083-CU-SM	3m			
				6p Mini DIN male	6p mini DIN male

**DVI-D <-> DVI-D Cable**





Cable: both sides with ferrit cores



Order No	Length	System	1. Side	2. Side
<b>KCM.DVI-D.SL.2M</b>	2m	DVI-D		
			DVI-D (Single Link) male	DVI-D (Single Link) male





**VGA/PS2 Monitor-Cable**

Connection 1:1



Order No	Type	Length	System	1. Side	2. Side
<b>KCM.215SS</b>	ICOC 02-CM-MO	2m	VGA		
				15p D-SUB HD male	15p D-SUB HD male
<b>KCM.29K15S</b>	AA 347-06	2m	PS/2		
				15p D-SUB HD male	9p D-SUB female

**VGA High Quality Monitor Cable**

SVGA monitor cable with ferrit cores on both ends.

Order No	Type	Length	System	1. Side	2. Side
<b>KCM.215SSQ</b>	ICOC SVGA-D-2	2m	SVGA		
<b>KCM.515SSQ</b>	ICOC SVGA-D-5	5m			
				15p D-SUB HD male	15p D-SUB HD male
<b>KCM.215KSQ</b>	ICOC SVGA-C-2	2m	SVGA		
<b>KCM.515KSQ</b>	ICOC SVGA-C-5	5m			
				15p D-SUB HD male	15p D-SUB HD female

**VGA Monitor Cable FLEX**

Order No	Length	ContriK	1. Side	2. Side
<b>KCM.10M 15K3</b>	1m	NX-VGA-3.5-WP9-1		
<b>KCM.20M 15K3</b>	2m	NX-VGA-3.5-WP9-2		
<b>KCM.30M 15K3</b>	3m	NX-VGA-3.5-WP9-3		
<b>KCM.50M 15K3</b>	5m	NX-VGA-3.5-WP9-5		
<b>KCM.70M 15K3</b>	7.5m	NX-VGA-3.5-WP9-7.5		
<b>KCM.100M 15K3</b>	10m	NX-VGA-3.5-WP9-10		
			VGA with 3.5mm Phone Audio Plug (male)	

**High Quality Monitor Cable**

- Shielded high quality coaxial cable, 3x 75Ω
- Both sides with ferrit cores
- Long knurled screws
- connection 1:1



Order No	Length	System	1. Side	2. Side
<a href="#">KCM.1515SSQ</a>	15m	SVGA		
<a href="#">KCM.2015SSQ</a>	20m			
<a href="#">KCM2515SSQ</a>	25m			
			15p D-SUB HD male	15p D-SUB HD male

**Parallel Cable**

**Centronics Parallel Cable**

Connects any Centronics36 devices such as switches or storage devices.  
This cable is fully-wired for all parallel applications.  
This cable is wired 1:1 and has moulded connectors and is shielded.




Order No	Type	Length		1. Side	2. Side
<a href="#">KCC.3SS</a>	ICOC 113-SC-LC	3m			
<a href="#">KCC.7SS</a>	ICOC 12-SC-M0	7m			
				36p CEN (male)	36p CEN (male)
<a href="#">KCC.3SK</a>	AA 302-10	3m			
<a href="#">KCC.7SK</a>	ICOC 15-SC-M0	7m			
				36p CEN (male)	36p CEN (female)
<a href="#">KCC.3KK</a>	AA 303-10	3m			
				36p CEN (female)	36p CEN (female)



**Bi-Directional Printer Cable**

Plugs moulded and shielded



Order No	Type	Standard	Length	Manufacturer	1. Side	2. Side
<b>KCD.2SS</b>	ICOC 12-CP-MO	IEEE-1284	1.8m	Assmann		
<b>KCD.3SS</b>	ICOC 30-CP-MO		3m			
<b>KCD.7SS</b>	ICOC 1284-10		7m			
<b>KCD.10SS</b>	ICOC 10-CP-MO		10m			
					25p D-SUB (male)	36p CEN (male)

**Bi-Directional Printer Cable**

High speed interfaces according to IEEE-1284



Order No	Type	Standard	Length	Manufacturer	1. Side	2. Side
<b>KCEA2SS</b>	ICOC 1284-02	IEEE-1284	1.8m – 2m	Assmann		
					25p D-SUB (male)	36p CEN (male)
<b>KCEB2SK</b>	ICOC 1284-002		1.8m – 2m			
					25p D-SUB (male)	25p D-SUB (female)
<b>KCEC2SS</b>	ICOC 1284-B-02		1.8m – 2m			
					36p CEN (male)	36p CEN HP (male)
<b>KCED2SS</b>	ICOC 1284-C-02		1.8m – 2m			
					36p CEN HP (male)	36p CEN HP (male)





**Patch Cable Crossover Twisted Pair 4x2 (LAN Cable)**

Both sides with shielded and moulded RJ-45 connectors.





Order No	Type	Length	System	1. Side	2. Side
<a href="#">KCN.B0545X</a>	ICOC SF5ECO-005	0.5m	SFTP		
<a href="#">KCN.B145X</a>	ICOC SF5ECO-010	1m			
<a href="#">KCN.B245X</a>	ICOC SF5ECO-020	2m			
<a href="#">KCN.B545X</a>	ICOC SF5ECO-050	5m			
<a href="#">KCN.B1045X</a>	ICOC SF5ECO-100	10m			
				RJ-45 male	RJ-45 male

**Patch Cable Twisted Pair 4x2 (LAN Cable)**

Both sides with shielded and moulded RJ-45 connectors.



Order No	Type	Length	System	1. Side	2. Side
<a href="#">KCN.B0345</a>		0.3m			
<a href="#">KCN.B0545</a>	ICOC SF53-005I	0.5m			
<a href="#">KCN.B145</a>	ICOC SF5E-010I	1m			
<a href="#">KCN.B345</a>	ICOC SF5E-030I	3m			
<a href="#">KCN.B545</a>	ICOC SF5E-050I	5m			
<a href="#">KCN.B745</a>	ICOC SF5E-075I	7.5m			
<a href="#">KCN.B1045</a>	ICOC SF5E-100I	10m			
<a href="#">KCN.B1545</a>	ICOC SF5E-150I	15m			
<a href="#">KCN.B2045</a>	ICOC SF5E-200I	20m			
<a href="#">KCN.B3045</a>	ICOC SF5E-300I	30m			
				RJ-45 male	RJ-45 male

**LAN Cable without RJ-Connectors**



**Uninet flex 5502 S/UTP 4x2x0.16 4P, FRNC/LSOH, 300MHz, CAT5e CID**

4x Twisted Pair Cable (8 wire), shielded, Manufacturer: Daetwyler (Type: 21.15.7200 21157200)

Order No	Length		
<a href="#">KMU.16.4SI</a>	by the meter		



**FTP Cable Cat.5e for Structured Building Cabling Double Shielded**

4x Twisted Pair Cable (8 wire), Make: Roline (Type: 21.15.0019 21150019)

Order No	Length		
<a href="#">KMU.02.4SSI</a>	by the meter		



**FTP Cable Cat.5e for Structured Building Cabling Shielded ROLINE**

4x Twisted Pair Cable (8 wire), Make: Roline (Type: 21.15.0010 21150010)

Order No	Length		
<a href="#">KMU.02.4SI</a>	by the meter		









**RS-232 IBM AT Link Cable DB9 Female to DB9 Female**

The connectors are moulded and shielded.





Order No	Type	Length	System	1. Side	2. Side
<a href="#">KCL.39KK</a>	AA 339-10	3m	IBM AT		
<a href="#">KCL.N59KK</a>		5m			
				9p D-SUB female	9p D-SUB female
<a href="#">KCL.225KK</a>	ICOC 028-NM	2m	IBM AT		
				25p D-SUB female	25p D-SUB female



**RS-232 AT Modem Cable**

The connectors are moulded and shielded.





Order No	Type	Length	1. Side	2. Side
<a href="#">KCI.2SK</a>	ICOC 034-NM	1.8m		
			25p D-SUB male	9p D-SUB female

DSUB 9p: 1 ==> DSUB 25p: 8  
 DSUB 9p: 2 ==> DSUB 25p: 3  
 DSUB 9p: 3 ==> DSUB 25p: 2  
 DSUB 9p: 4 ==> DSUB 25p: 20  
 DSUB 9p: 5 ==> DSUB 25p: 7  
 DSUB 9p: 6 ==> DSUB 25p: 6  
 DSUB 9p: 7 ==> DSUB 25p: 4  
 DSUB 9p: 8 ==> DSUB 25p: 5  
 DSUB 9p: 9 ==> DSUB 25p: 22

**RS-232 AT Printer Cable**






The connectors are moulded and shielded.



Order No	Type	Length	1. Side	2. Side
<a href="#">KCD.AT2SK</a>	ICOC 043-NM	1.8m		
			25p D-SUB male	9p D-SUB female

DSUB 9p: 1 ==> DSUB 25p: 4  
 DSUB 9p: 2 ==> DSUB 25p: 2  
 DSUB 9p: 3 ==> DSUB 25p: 3  
 DSUB 9p: 4 ==> DSUB 25p: 3  
 DSUB 9p: 5 ==> DSUB 25p: 7  
 DSUB 9p: 6 ==> DSUB 25p: 20  
 DSUB 9p: 7 ==> DSUB 25p: 8  
 DSUB 9p: 8 ==> DSUB 25p: 20

**Cable Sets 1:1 D-SUB (Low Smoke Zero Halogen)**

Order No		Length	1. Side	2. Side
KCRLZH19SK		1m		
KCRLZH29SK		2m		
KCRLZH39SK		3m		
			9p male	9p female

**RS-232 Cable Sets 1:1**

Both sides with shielded moulded connectors.

Order No	Type	Length	1. Side	2. Side
<b>KCR.29KK</b>	ICOC 24-SC-MO	2m		
			9p D-SUB female	9p D-SUB female
<b>KCR.29SK</b>	ICOC 23-SC-MO	2m		
<b>KCR.39SK</b>	AK178 3M	3m		
<b>KCR.109SK</b>	ICOC 2310-SC-MO	10m		
<b>KCR.209SK</b>		20m		
			9p D-SUB male	9p D-SUB female
<b>KCR.29SS</b>	AK-610107-020-E	2m		
			9p D-SUB male	9p D-SUB male
<b>KCR.215SK</b>		2m		
			15p D-SUB male	15p D-SUB female
<b>KCR.225KK</b>	ICOC 07-SC-MO	2m		
<b>KCR.525KK</b>	ICOC 08-SC-MO	5m		
			25p D-SUB female	25p D-SUB female
<b>KCR.325SK</b>	ICOC 043-SC-MO	3m		
<b>KCR.525SK</b>	ICOC 05-SC-MO	5m		
<b>KCR.1025SK</b>	AK168 10M	10m		
			25p D-SUB male	25p D-SUB female




**RS-232 Cable Sets 1:1 (Continuation)**

Order No	Type	Length	1. Side	2. Side
<b>KCR.225SS</b>	ICOC 01-SC-MO	2m		
<b>KCR.525SS</b>	ICOC 02-SC-MO	5m		
			25p D-SUB male	25p D-SUB male
<b>KCR.0937SS</b>	ICOC 01-SC-MO	0.9m		
<b>KCR.225SS</b>		2m		
			37p D-SUB male	37p D-SUB male
<b>KCR.250SK</b>		2m		
			50p D-SUB male	50p D-SUB female

**Retro Computer Cable**


**Floppy Drive Cable 3 1/2"**

Flat Ribbon IDC 34x AWG28 Floppy Drive Cable 0.75m 3x IDC 34p  
Cable to connect 3 1/2" Floppy to FDD, to connect two devices.

Oder No	Type	Length	Cable Type
<b>KCF.342</b>	ICOC81-3-1-CU	0.75m	34 x AWG28
			
			3 x 34p IDC (female)

**IDE Hard Disk Cable (AT-Bus)**



Flat Cable for Hard Disk 40x AWG28 IDE 3 x IDC 40 Female 0.75m  
IDE hard disk cable (AT-Bus), connects 2 hard disks 3,5" or CD-ROM

Order No	Type	Length	Cable Type
<b>KCF.1606</b>	ICOC 40-3-CU	0.75m	40 x AWG28
			
			3 x 40p IDC (female)

**ATA100 Cable**

IDE EIDE Cable 40-p for ATA 100 0.6m Roline  
Interface Speed: UDMA 66/100



Order No	Type	Length	Manufacturer	No	1. Side	2. Side
<b>KCF.80100</b>	ICOC81-3-1-CU	0.6m	Roline	11.03.1534		
					40p IDC (female)	2x 40p IDC (female)

**Retro-Computer-Cable**

Oder No	Type	Length	Description
<b>KCF.1706</b>	ICOC 50-CU	0.6m	Streamer Cable
<b>KCF.1801</b>	ICOC 22-30-CU	0.12m	IDE Hard Disk Cable



**SCSI**

**SCSI I System Cable**

Connector housing moulded and shielded.





Order No	Type	Tw istet Pairs	Length	1. Side	2. Side
<b>KCS.1101.2</b>	ICOC SCSI-0762	12.5	2m		
				25p D-SUB male	50p CEN50 male
<b>KCS.1112.2</b>	ICOC SCSI-0782	19	2m		
				50p CEN50 male	50p CEN50 female
<b>KCS.1102.2</b>	ICOC SCSI-0772	19	2m		
				50p CEN50 male	50p CEN50 male





**SCSI II System Cable**

Connector housing moulded and shielded.

Order No	Type	Twisted Pairs	Cable Type	Length	1. Side	2. Side
<b>KCS.2200.2</b>	ICOC SIF-A-2	25	UL2919	2m		
			Half-pitch			
					50p DB50HP male	50p DB50HP male
<b>KCS.2202.2</b>	ICOC SIF-J-2	25	UL2990	2m		
			Half-pitch			
					50p CEN50HP male	50p CEN50HP male
<b>KCS.2210.2</b>	ICOC SIF-M-2	25	UL2919	2m		
			Half-pitch			
					50p DB50HP male	50p DB50HP female
<b>KCS.HC2036C</b>	ICOC SIF-D-2			2m		
					36p CEN36 male	20p CEN20 male

**SCSI III System Cable (Wide SCSI)**



- Double shielded UL2990
- Low voltage
- Connector housing moulded and shielded with clips (latch type)
- Impedance 90Ω

Order No	Type	Twisted Pairs	Cable Type	Length	1. Side	2. Side
<b>KCS.3302.2</b>	ICOC SIF-N-2	34	UL2990	2m		
			Half-pitch			
					68p CEN68HP male	68p CEN68HP male

**SCSI I > II Extension Cable**

- Double shielded UL2919
- Low voltage
- Connector housing moulded and shielded with clips (latch type)
- Impedance 90Ω (UL2990)





Order No	Type	Twisted Pairs	Cable Type	Length	1. Side	2. Side
<a href="#">KCS.1202.2</a>	ICOC SII-F-2	34	UL2990	2m		
					50p CEN50 male	50p CEN50HP male

**SCSI I > III Extension Cable**

- Triple shielded UL2919
- Low voltage
- Connector housing moulded and shielded with clips (latch type)
- Impedance 110Ω (UL2919)







Order No	Type	Twisted Pairs	Cable Type	Length	1. Side	2. Side
<a href="#">KCS.1301.2</a>	ICOC SIII-F-2	25	UL2919	2m		
					50p CEN50 male	68p DB68HP male

**SCSI II > III Extension-Cable**

- Triple shielded UL2919
- Low voltage
- Connector housing moulded and shielded with clips (latch type)
- Impedance 110Ω (UL2919)



Order No	Type	Twisted Pairs	Cable Type	Length	1. Side	2. Side
<a href="#">KCS.2300.2</a>	ICOC SIII-F-W2S	25	UL2919	2m		
					50p DB50HP male	68p DB68HP male
<a href="#">KCS.2301.2</a>	ICOC SIII-F-V-2S	25	UL2919	2m		
					50p CEN50HP male	68p DB68HP male









**SCSI > SCA-Adapter Cable**

Connecting cable to 80p zu hard disc drive

Order No	Type	Length	1. Side	2. Side
<b>KCS.3322F</b>	IADAP SCA-831	9cm		
			80p CEN80 female	80p CEN80 female



**Intern SCSI-Cable**








Cable to connect SCSI controller to HDD

Order No	SCSI	internal devices	Connector	Cable type	Length	Image
<b>KCS.F503</b>	I/II	3	4x IDC 50p female Type: ICOC 60-CU	AWG28	0.75m	
<b>KCS.F507</b>	I/II	7	8x IDC 50p female Type: ICOC 62-CU	AWG28	1.5m	
<b>KCS.F683</b>	III	3	4x DB68HP male Type: ICOC 63-CU-3	AWG30	1m	
<b>KCS.F683L</b>	LVD	3	4x DB68HP male Type: IOCO 66-CU-3		1m	









**CD-ROM Cable**

Audio cable to sound card CD-ROM for operating systems up to Windows 2000










Order No	Type	Length	1. Side	2. Side
<b>KCM.44</b>	ICOC CD-11	0.5m		
				
			4-pol female	4-pol-female
<b>KCM.45</b>	ICOC CD-12	0.6m		No picture available
				
			4-pol female	5-pol-female

**CD-ROM Audio Connection Cable**

Best.Nr.	Typ	Länge	1. Seite	2. Seite
<b>POL.M254K</b>		0.3m		
	Audio Connection Cable 2.54 x 4-pol			
			4p 2.54mm female	4p 2.54mm female
<b>POL.M203K</b>	ICOC 08-NC-S	0.5m		
	Audio Connection Cable 2.0 x 3-pol			
			3p 2mm female	3p 2mm female
<b>POL.M204G</b>	ICOC 07-NC-S	0.5m		
	Audio Connection Cable 2 x 4-pol			
			4p 2mm female	4p 2mm female

**Floppy Y-Power Cable**

- Internal power connection cable for two additional floppy drives.  
- The cable connects the floppy disk to the computer power supply.

Order No	Connection of internal devices	1. Side	2. Side	2. Side
<b>POM.3</b>	2 x 5¼"			
		5¼" male	5¼" female	5¼" female
<b>POM.4</b>	2 x 3½"			
		5¼" male	3½" female	3½" female
<b>POM.5</b>	1x 5¼" und 1x 3½"			
		5¼" male	5¼" female	3½" female



**POM.3**



**POM.4**



**POM.5**



**Coaxial RF Cable (CheaperNet)**

Order No	Length	Impedance	Cable Type	Make	Type
KCB.150	1m	50Ω	RG 58C/U	Telegärtner	L00010A1803
KCB.250	2m				L00011A1451
KCB.550	5m				L00013A1453
KCB.1050	10m				L00015A1455
KCB.175	1m	75Ω	RG 59B/U		L00010A1807
KCB.275	2m				L00011A1457
KCB.575	5m				L00013A1459
KCB.1075	10m				L00015A1461
KCB.293	2m	93Ω	RG 62A/U		L00011A1505
KCB.593	5m				L00013A1507
KCB.1093	10m				L00015A1509







**VGA Monitor Cable**

With ferrit core

Order No	Type	Length	System	1. Side	2. Side
KCM.215B5	ICOC SMO-A-2	1.8m	VGA		
				15p D-SUB HD male	15p D-SUB HD male




**Telephone Coiled Cord**

Order No	Type	Length	Colour	1. Side	2. Side
<b>KCT.264S</b>	Coiled cord	2m	w hite		
				RJ-11	RJ-11
<b>KCT.2SKS</b>	Coiled cord	2m	w hite		
				RJ-11	w ith cable lugs





**Tax Filter Modem-Cable**


Order No	Length	Colour
<b>KCT.FM2</b>	2m	black
<b>KCT.FM5</b>	5m	



**Telephone Connection Cable**

Flat cable: 4x0.14mm<sup>2</sup>

Order No	Type	Length	Colour	1. Side	2. Side
<b>KTT.A364</b>	FCC 6P/4C	3m	black		
				FCC 6/4	FCC 6/4







Assignment: FCC  
6P/4C



**Telephone Connection Cable**

Flat cable: 4 x 0.14mm<sup>2</sup>



Order No	Length	Colour	1. Side	2. Side
<a href="#">KTT.A389</a>	3m	black		
<a href="#">KTT.A489S</a>	4.3m			
<a href="#">KTT.A589</a>	5m			
<a href="#">KTT.A1089</a>	10m			
			T+T 89	FCC 6/4





1a > 1 2a > 3  
1b > 2 2b > 4

**Modem Connection Cable**

Flat cable: 4 x 0.14mm<sup>2</sup>



Order No	Length	Colour	1. Side	2. Side
<a href="#">KTM.A389</a>	3m	black		
<a href="#">KTM.A589</a>	5m			
<a href="#">KTM.A1089</a>	10m			
			T+T 89	FCC 6/4




1a > 2 2a > 1  
1b > 3 2b > 4

**Telephone Extension Cable**



FCC flat cable: 4x0.14mm<sup>2</sup>, PVC


Order No	Length	Colour	1. Side	2. Side
<a href="#">KTT.V589</a>	5m	black		
			T+T 89 (male)	FCC 6/4 Buchse
























**Telephone Extension Cable with Multi Plug Type MV90 for 3 Phones**

Flat cable: 4 x 0.14mm<sup>2</sup>

Order No	Length	Colour	1. Side	2. Side
<a href="#">KTT.V587M</a>	5m	black		
			T+T 87 (TT87)	T+T 87 (TT87)





Type			Male	Female
25p D-Sub DB25 (external)	DB25			
25p D-Sub DB25	DB25			
50p Centronics CEN50	CEN50			
50p High-Density (external)	HD50			
50p High-Density (internal)	HD50			
50p Micro D				
50p IDC Low-Density (internal)	IDC50			
50p IDC	IDC50			
68p High-Density (external)	HD68			
68p High-Density (internal)	HDI68			
68p VHDCI (internal)				
80p SCA (internal)	SCA80		